

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** Camper Gaz / OLYMPUS mountain series Camper Gaz**Chemical Identification:** Commercial Propane & Butane Mixture**UFI:** GJ6Q-F0V4-J002-YXFW**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Fuel**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

CAMPER GAZ S.A. VRISANAKIS

PORTSI (MANDRA NTOUNI)

P.O. BOX: 194 00, KOROPHI, GREECE

Tel.: 210 6021019

Fax: 210 6628888

contact@camper-gaz.gr

www.camper-gaz.gr

1.4 Emergency telephone number:

European Emergency Tel.: 112

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS02 flame

Flam. Gas 1A H220 Extremely flammable gas.

Press. Gas (Comp.) H280 Contains gas under pressure; may explode if heated.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS02

Signal word: Danger**Hazard statements:**

H220 Extremely flammable gas.

(Contd. on page 2)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 1)

H280 Contains gas under pressure; may explode if heated.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources.

P410+P403 Protect from direct sunlight. Store in a well-ventilated place.

2.3 Other hazards**Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at a level of 0.1% or higher.

PBT: Not applicable.**vPvB:** Not applicable.**Determination of endocrine-disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

CAS: 68512-91-4 EINECS: 270-990-9 Index number: 649-083-00-0 Reg.nr.: 01-2119485926-20-XXXX	Hydrocarbons, C3-4-rich, petroleum distillate (Note K) ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	>99%
CAS: 75-08-1 EINECS: 200-837-3 Index number: 016-022-00-9 Reg.nr.: 01-2119491286-30-XXXX	ethanethiol ⚠ Flam. Liq. 1, H224; ⚠ Aquatic Acute 1, H400 (M=10); ⚠ Aquatic Chronic 1, H410 (M=10); ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1B, H317 substance with a Community workplace exposure limit	<0.1%

SVHC

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No 1907/2006 (REACH), Article 59)

Additional information:

Note K / CLP: It is not necessary to classify the substance (CAS: 68512-91-4) as carcinogenic or mutagenic because the substance contains less than 0,1% w/w 1,3-butadiene (No.EINECS 203-450-8).

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 2)

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.
 In case of unconsciousness place patient stably in side position for transportation.
 Seek medical treatment in case of complaints.

After skin contact:

Remove contaminated clothing.
 Wash the skin immediately with soap and water.
 If skin irritation continues, consult a doctor.

After eye contact:

Flush thoroughly with water for at least 15 minutes lifting lower and upper eyelids occasionally.
 Remove contact lenses and continue rinsing for several minutes
 If symptoms persist, consult a doctor.
 Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.
 Consult the doctor immediately and show the label or this Safety Data Sheet.
 Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risk of asphyxiation due to foaming. Contact with liquid form may cause frostbite

4.3 Indication of any immediate medical attention and special treatment needed

There is no specific antidote.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

CO₂, powder or water spray.
 Foam
 Sand or soil

For safety reasons unsuitable extinguishing agents: Jet of water

5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO)
 Carbon dioxide (CO₂)
 Vapors are heavier than air. Spread on the surface of the ground and it is possible to ignite remotely.

5.3 Advice for firefighters**Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.
 Wear eye protection.
 Cool containers exposed to fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.
 Keep away from ignition sources.
 Ensure adequate ventilation.
 Avoid contact with skin and eyes.
 Avoid inhalation of vapors.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 3)

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material**6.1.2 For emergency responders**

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

Avoid contact with eyes, hands and clothing.

Wash your hands and face after using the product.

Do not eat or drink during the use of the product.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Do not spray onto a naked flame or any incandescent material.

Flammable gas-air mixtures may form in empty receptacles.

The vapors are heavier than air and may spread along floors. Vapors can form explosive mixtures with air.

Keep away from heat, sparks, open flames and hot surfaces.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

Keep containers tightly closed in a cool, well-ventilated place.

Open containers should be carefully closed and stored upright to prevent any leakage.

Requirements to be met by storerooms and receptacles: Provide good ventilation.**Information about storage in one common storage facility:**

Keep away from food, beverages & animal feed.

Keep away from heat and direct sunlight.

Further information about storage conditions: Keep container tightly sealed.**Maximum storage temperature:** 30°C**Minimum storage temperature:** 5°C**7.3 Specific end use(s)** No further relevant information available.

— EN —

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 75-08-1 ethanethiol**

WEL (Great Britain)	Short-term value: 5.2 mg/m ³ , 2 ppm Long-term value: 1.3 mg/m ³ , 0.5 ppm
---------------------	---

DNELs

Hydrocarbons, C3-4-rich, petroleum distillate (CAS: 68512-91-4).

Employees:

Long-term systemic effect - Inhalation: 2,21 mg/m³

Consumers:

Long-term systemic effect - Inhalation: 0,265 mg/m³

Long-term systemic effect - Oral: 0,464 µg/kg bw/d

Ethanethiol (CAS: 75-08-1).

Workers:

Long-term systemic effect - Inhalation: 11 mg/ml

Long-term systemic effect - Dermal: 1.6 mg/kg bw/d

Consumers:

Long-term systemic effect - Inhalation: 1.96 mg/m³

Long-term systemic effect - Oral: 800 mg/kg bw/d

PNECs

Ethanethiol (CAS: 75-08-1).

Freshwater: 100 mg/l

Intermittent releases (freshwater): 1 mg/l

Marine water: 10 mg/l

Sewage treatment plant (STP): 8.81 mg/l

Sediment (freshwater): 490 mg/kg sediment dw

Sediment (marine water): 49 mg/kg sediment dw

Soil: 40.9 mg/kg soil dw

8.2 Exposure controls**8.2.1. Appropriate engineering controls**

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower

Individual protection measures, such as personal protective equipment**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Do not eat, drink or smoke while using the product.

Avoid contact with the eyes and skin.

Take appropriate protective measures with regard to the handling of chemicals and mixtures.

Wash hands before breaks and at the end of work.

Do not breathe vapours or mists.

Respiratory protection:

Self-contained breathing apparatus standards:

EN 137

EN 138

EN 141

(Contd. on page 6)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 5)

Hand protection

Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

PVC (polyvinyl chloride)

NBR (Nitrile rubber)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

>480 minutes (resistance: level 6)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information**

Physical state	Gas
Colour:	Colourless
Odour:	Unpleasant
Odour threshold:	Not determined
Melting point/freezing point:	-187.6--138.3 °C
Boiling point or initial boiling point and boiling range	-161.4--0.5 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	1.8 Vol %
Upper:	15 Vol %
Flash point:	-104--60 °C
Auto-ignition temperature:	287-537 °C
Decomposition temperature:	Not determined

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 6)

pH	Not determined
Solubility	
water at 20 °C:	24.4 - 60.4 g/l
Partition coefficient n-octanol/water (log value)	1.09 – 2.8 log POW
Vapour pressure at 40 °C:	530-1.550 kPa
Density and/or relative density	
Density at 20 °C:	0.4228-0.589 g/cm ³
Relative density	Not determined
Vapour density	Not determined

9.2 Other information**Appearance:****Form:** Gas**Important information on protection of health and environment, and on safety.****Ignition temperature:**

Product is not selfigniting.

Explosive properties:

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Cloud point / clarification point:**Oxidising properties**

Not oxidising

Evaporation rate

Not applicable

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Extremely flammable gas.
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Contains gas under pressure; may explode if heated.
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**10.1 Reactivity** Stable under normal conditions**10.2 Chemical stability** Material is stable under normal conditions.**Thermal decomposition / conditions to be avoided**

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 7)

10.4 Conditions to avoid

Avoid heat, sparks, naked flame or other sources of ignition.

Do not press, cut, weld, drill, rub, or expose containers to heat or ignition sources.

10.5 Incompatible materials

Oxidizing agents

Halogens

10.6 Hazardous decomposition products

Carbon monoxide (CO)

Carbon dioxide (CO₂)**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 75-08-1 ethanethiol**

Oral	LD50	682 mg/kg (rat)
Inhalative	LC50/4 h (vapour)	4,420 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:****Repeated dose toxicity** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

The product does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1%.

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****CAS: 75-08-1 ethanethiol**

EC50 (72h)	3 mg/l (algae)
EC50 (48h)	100 mg/l (Invertebrate)
LC50 (96h)	2.4 mg/l (fish)

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz


(Contd. of page 8)

12.4 Mobility in soil No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

12.7 Other adverse effects**Additional ecological information:****General notes:** Do not allow product to reach ground water, water course or sewage system.* **SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Waste disposal key:

16 05 04* gases in pressure containers (including halons) containing dangerous substances

15 01 10* packaging containing or contaminated by residues of dangerous substances.

European waste catalogue

HP3 | Flammable

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.* **SECTION 14: Transport information****14.1 UN number or ID number**

ADR, IMDG, IATA

UN2037

14.2 UN proper shipping name

ADR

2037 RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)

IMDG, IATA

RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 9)

14.3 Transport hazard class(es)

ADR



Class 2 5F Gases.
Label 2.1

IMDG, IATA

Class 2 Gases.
Label 2.1

**14.4 Packing group
ADR, IMDG, IATA**

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Gases.

Hazard identification number (Kemler code):

-

EMS Number:

F-D,S-U

Stowage Category

B

Stowage Code

SW2 Clear of living quarters.

**14.7 Maritime transport in bulk according to IMO
instruments**

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 1L

Limited Quantity Marking.

Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

Transport category

2

Tunnel restriction code

D

IMDG

Limited quantities (LQ) 1L

(Contd. on page 11)

—EN—

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 10)



Limited Quantity Marking.

Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation":

UN 2037 RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES), 2.1

* **SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Note K applies. Contains less than 0,1 % w/w 1,3-butadiene (Einecs No 203-450-8).

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category P2** FLAMMABLE GASES**Qualifying quantity (tonnes) for the application of lower-tier requirements** 10 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 50 t**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 12)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 11)

National regulations:**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H224 Extremely flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.



Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008

Flammable gases	On basis of test data
Gases under pressure	

Department issuing SDS:

SUST  SUSTCHEM S.A.
CHEM  REACH & Chemical Services Department
CONSULTING
 A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece
 T: +30 210 8252510 | F: +30 210 8252575
 W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 1**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases – Category 1A

(Contd. on page 13)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 08.09.2023

Version number 2 (replaces version 1)

Revision: 08.09.2023

Trade name: Camper Gaz / OLYMPUS mountain series Camper Gaz

(Contd. of page 12)

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 1: Flammable liquids – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**

—EN—