

Material Safety Data Sheet

材料安全数据表

Section 1 - Chemical Product and Company Identification

第一部分 化学品及企业标识

Product Name: Li-ion Battery
产品名称: 锂离子电池

Model/Type: 18650 (1S1P) 3.7V 1200mAh 4.44Wh
型号/类型: 18650 (1S1P) 3.7V 1200mAh 4.44Wh

Manufacturer: Ningbo Lanqi Electronic Technology CO.,LTD.
生产企业名称: 宁波蓝琦电子科技有限公司

Address: Building 3, No.156 Kesheng Road, Wangchun Industrial Park, Haishu District, Ningbo City, Zhejiang Province
地址: 浙江省宁波市海曙区望春工业园区科盛路156号3号楼

Post Code/邮编: 315012


Emergency Telephone/应急电话: 0574-87200933

Fax/传真: 0574-87970702

E-mail/邮箱: carrol@lanqibattery.com

Issue Date/签发日期: 2024-12-25

Validity/有效期: 2025-01-01 ~ 2025-12-31



SECTION 2 HAZARDS IDENTIFICATION

第二部分 危险性概述

Hazards Identification 危害识别:

Lithium batteries itself are classified to Class 9 Dangerous Goods, Miscellaneous dangerous substances and articles.

锂电池本身被归类在第九类危险品——杂项危险物质和物品。

The sealed intact battery is not hazardous in normal use.

密封完好的电池在正常使用下不存在危险性。

Emergency Overview 应急概况:

Caution: Avoid contact and inhalation the electrolyte contained inside the battery.

注意: 避免接触和吸入蓄电池内的电解液。

SECTION 3 INFORMATION ON INGREDIENTS

第三部分 成分/组成信息

Chemical Composition 化学名称	Chemical Formula 分子式	CAS No: CAS 号:	Weight (%) 百分含量 (%)	
Aluminium /铝	Al	7429-90-5	2-3%	
Graphite /石墨	C	7782-42-5	10-15%	
Copper /铜	Cu	7440-50-8	4-5%	
Organic Electrolyte 有机电解液	Lithium Hexafluorophosphate /六氟磷酸锂	LiPF ₆	21324-40-3	2-3%
	Dimethyl Carbonate /碳酸二甲酯	C ₃ H ₆ O ₃	616-38-6	9-10%
	Ethylene Carbonate /碳酸乙烯酯	C ₃ H ₄ O ₃	96-49-1	4-6%
Polyethylene /聚乙烯	(C ₂ H ₄) _n	9002-88-4	2-3%	
Iron /铁	Fe	7439-89-6	25-28%	

SECTION 4 FIRST-AID MEASURES

第四部分 急救措施

Skin Exposure: If the internal battery materials of an opened battery cell come into contact with the skin, immediately flush with plenty of water.

皮肤接触: 若接触到电池内的物质, 立即用肥皂和大量清水彻底清洗皮肤。

Eye Exposure: In case of the internal battery materials in contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

眼睛接触: 若接触到电池内的物质, 立即提起眼睑, 用流动清水冲洗 15 分钟以上。

Inhalation Exposure: If inhaled the internal materials of battery, remove immediately to fresh air and seek medical attention.

吸入: 若吸入电池内的物质, 立即脱离现场至空气新鲜处。

Oral Exposure: If swallowed the internal materials of battery, do not induce vomiting. Seek immediate Medical attention.

食入: 若食入电池内的物质, 不宜催吐, 立即就医。

SECTION 5 FIRE FIGHTING MEASURES

第五部分 消防措施

Extinguishing Media:

Suitable: Dry chemical, Sandy soil, Carbon dioxide or appropriate foam.

灭火方法及灭火剂: 可用干粉、砂土、泡沫和二氧化碳灭火。

Firefighting:

Protective Equipment: wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Specific hazards: Emit toxic fumes under fire conditions.

灭火注意事项及措施: 消防员应戴自给正压式呼吸器, 穿消防防护服以防止皮肤和眼睛的接触。

SECTION 6 ACCIDENTAL RELEASE MEASURES

第六部分 泄露应急处理

Procedure of Personal Precaution:

If batteries show signs of leaking, avoid skin or eye contact with the material leaking from the battery. Use chemical resistant rubber gloves and non-flammable absorbent materials for clean up. Mix with inert material (e. g. Dry sand, vermiculite) and transfer to sealed container for disposal.

应急处理: 若电池内的物质泄露, 用洁净铲子收集于干燥、洁净、有盖的容器中待处置。处理人员应穿合适的防护服。

SECTION 7 HANDLING AND STORAGE

第七部分 操作处置与储存

Handling: Keep away from ignition sources, heat and flame. Such batteries must be packed in inner packages in such a manner as to effectively prevent short circuits and to prevent movement which could lead to short circuits. Avoid mechanical or electrical abuse. More than a momentary short circuit will generally reduce the battery service life. Avoid reversing battery polarity within the battery assembly. In case of a battery unintentionally be crushed, rubber gloves must be used to handle all battery components. Avoid contact with eyes, skin. Avoid inhalation. No smoking at working site. Materials to Avoid: Strong oxidizing agents, Corrosives.

操作处置注意事项: 操作人员应经过培训, 严格遵守操作规程。建议操作人员穿一般作业防护服, 带安全手套。远离火种、热源, 避免阳光直射。工作场所严禁吸烟。工作场所应有通风系统和设备。避免随意拆卸电池和弄错正负极。须牢记在内包装中, 以有效防止短路和防止可导致短路的移动。万一电池内的物质泄露, 避免眼睛、皮肤直接接触, 避免吸入。应与强氧化剂、腐蚀品分开存放。

Storage: Store in a cool, well-ventilated area. Keep away from ignition sources, heat and flame. Such batteries must be packed in inner packages in such a manner as to effectively prevent short circuits and to prevent movement which could to short circuits. Materials to Avoid: Strong oxidizing agents, Corrosives.

储存注意事项: 储存于阴凉、通风的库房内。远离火种、热源, 避免阳光直射。应与强氧化剂、腐蚀品分开存放。储存区配备相应品种和数量的消防器材、泄露应急处理设备和合适的收容材料。

SECTION 8 EXPOSURE CONTROL/PPE

第八部分 接触控制/个体防护

Engineering Control 工程控制:

Keep away from heat and open flame. Supply with sufficient partial air exhaust. Store in a cool, dry place. 远离热源和明火。提供足够的局部排气。存放在阴凉干燥的地方。

Respiratory Protection 呼吸保护:

Not necessary under conditions of normal use. Wear self-contained breathing filtermask if the

density exceed in the air. Wear breathing apparatus under the condition of emergency rescue or evacuation.

在正常使用条件下不需要。如果环境内气体密度超过空气中的密度，请佩戴自给式呼吸过滤器。在紧急救援或疏散的情况下，佩戴呼吸器。

Eyes Protection 眼睛保护:

Not necessary under conditions of normal use. Wear protective glasses if handling a leaking or ruptured battery. 在正常使用条件下不需要。如果处理泄漏或破裂的电池，请戴上防护眼镜。

Skin and Body Protection 皮肤和身体保护:

Not necessary under conditions of normal use. Wear fireproofing, gas defense clothes in case of handling a leaking or ruptured battery.

在正常使用条件下不需要。在处理泄漏或破裂的电池时，穿上防火防毒服。

Hands Protection 手部保护:

Not necessary under conditions of normal use. Wear chemical resistant rubber glove. 在正常使用条件下不需要。耐磨耐化学腐蚀橡胶手套。

Other Protections 其他保护:

No smoking, dining and drinking water in the workplace. Keep good habit of hygiene. 工作场所禁止吸烟、就餐和饮水。保持良好的卫生习惯。

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

第九部分 理化特征

Appearance:	cylindrical battery
外观与性状:	圆柱形电池
Odor:	Odorless
气味:	无味
Melting Point/°C:	>300°C
熔点:	>300°C
Solubility:	Partial soluble in water
溶解性:	部分溶于水

SECTION 10 STABILITY AND REACTIVITY

第十部分 稳定性与反应活性

Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Avoid exposure to heat and open flame. Avoid mechanical or electrical abuse. Prevent short circuits. Prevent movement which could lead to short circuits.

Materials to Avoid:

Strong oxidizing agents, Corrosives.

Hazardous Polymerization:

Will not occur.

Hazardous Decomposition Products:

Metal oxides, CO, CO2.

稳定性:	常温常压下稳定
避免接触的物质:	强氧化剂、腐蚀品。
避免接触的条件:	误操作, 高温, 防止短路和防止可导致短路的移动。
聚合危害:	不聚合。
有害分解产物:	金属氧化物、CO/CO2 等。

SECTION 11 TOXICOLOGICAL INFORMATION

第十一部分 毒理学资料

Toxicity Data:

Not available.

Irritation Data:

The internal battery materials may cause irritatin to eyes and skin.

急性毒性:	无资料
刺激性:	其中的电解质对眼睛、皮肤有刺激性。

SECTION12 ECOLOGICAL INFORMATION

第十二部分 生态学资料

No data available.

生态毒性:	无资料
生物降解性:	无资料
非生物降解性:	无资料

SECTION 13 DISPOSAL CONSIDERATION

第十三部分 废弃处理

Appropriate Method of Disposal of Substance:

Lithium batteries are best disposed of as a non-hazardous waste when fully or mostly discharged. Contact a licensed professional waste disposal service to dispose of large quantities materials.

废弃处置方法: 废弃电池的处置应符合《中华人民共和国固体废物污染环境防治法》,《废电池污染防治技术政策》等有关法律、法规、政策和标准的要求。

SECTION 14 TRANSPORT INFORMATION

第十四部分 运输信息

General packaging requirement 一般包装要求:

1. The cells or batteries must be protected so as to prevent short circuits.
电芯或电池必须加以保护,以防止短路。
2. The cells or batteries or equipment must be packed in suitable strong outer packaging.
电芯或电池或设备必须包装在合适的坚固的外包装中。
3. If batteries contained in equipment, equipment must be secured against movement within the outer packaging and be packed so as to prevent accidental activation.
如果电池包含在设备中,设备必须在外包装内固定,防止移动,并进行包装,以防止意外激活。

Air transportation, according to IATA-DGR 66th Edition (Effective 1 January-31December 2025)

空运,依据 IATA-DGR 第 66 版(2025 年 1 月 1 日至 12 月 31 日生效)

UN Number + PSN:	UN 3480, LITHIUM ION BATTERIES
UN 编号+运输专用名:	UN 3480, 锂离子电池
Hazard Class:	Class 9
危险等级:	第九类危险品
Packaging requirement:	Strong package, packaging according to PACKING INSTRUCTION965, section IB
包装要求:	坚固包装,按照包装说明 965 IB 部分要求打包
UN Number + PSN:	UN 3481, LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, or UN 3481, LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT
UN 编号+运输专用名:	UN 3481, 锂离子电池与设备一起包装,或 UN 3481, 锂离子电池安装在设备中
Hazard Class:	Not restricted
危险等级:	不受限制
Packaging requirement:	Strong package, packaging according to PACKING INSTRUCTION966-967, section II
包装要求:	坚固包装,按照包装说明 966-967 II 部分要求打包

Sea transportation, according to IMO IMDG Code (Amendment 42-24)

海运, 依据 IMO IMDG Code (Amendment 42-24)

UN Number + PSN: UN 3480, LITHIUM ION BATTERIES, or
UN 3481, LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, or
UN 3481, LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT

UN 编号+运输专用名: UN 3480, 锂离子电池 或
UN 3481, 锂离子电池与设备一起包装, 或 UN 3481, 锂离子电
池安装在设备中

Hazard Class: Not restricted, according to sp188
危险等级: 不受限制, 根据特殊条款 188

Package instruction: Strong package, Packaging in accordance to corresponding
requirements of sp188

包装说明: 坚固包装, 按照 sp188 相应要求进行包装

EmS No. /应急措施编号: F-A, S-I

Road transportation, according to ADR-2025

公路运输, 依据 ADR-2025

UN Number + PSN: UN 3480, LITHIUM ION BATTERIES, or
UN 3481, LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, or
UN 3481, LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT

UN 编号+运输专用名: UN 3480, 锂离子电池 或
UN 3481, 锂离子电池与设备一起包装, 或 UN 3481, 锂离子电
池安装在设备中

Hazard Class: Not restricted, according to sp188
危险等级: 不受限制, 根据特殊条款 188

Package instruction: Strong package, Packaging in accordance to corresponding
requirements of sp188

包装说明: 坚固包装, 按照 sp188 相应要求进行包装

EmS No. /应急措施编号: F-A, S-I

SECTION 15 REGULATORY INFORMATION

第十五部分 监管信息

Dangerous Goods Regulation (DGR)

Recommendations on the Transport of Dangerous Goods Model Regulations

International Maritime Dangerous Goods (IMDG)

Occupational Safety and Health Act (OSHA)

Toxic Substances Control Act (TSCA)

Code of Federal Regulations (CFR)

Technical Instructions for the Safe Transport of Dangerous Goods

California Proposition 65

Superfund Amendments and Reauthorization Act Title III (302/311/312/313) (SARA)

Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

In accordance with all Federal, State and local laws. 符合所有联邦、州和地方法律。

SECTION 16 OTHER INFORMATION

第十六部分 其他信息

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that person receiving it shall made his own determination of the suitability of the material for his particular purpose.

上述信息是基于现有的数据信息，在实际应用过程中可能出现其他未预料的情况，其相应信息可能需要修改，我方不承担相应责任。在操作中请根据实际情况做出相应的正确的处置。

DISCLAIMER:

免责声明:

The information and recommendations set forth are made in good faith and believed to be accurate as of the date of preparation. Ningbo Lanqi Electronic Technology CO.,LTD.makes no warranty expressed or implied, with respect to this information and disclaims all liabilities from reliance on it.

我们诚心诚意做此信息和推荐。且都是精确的。宁波蓝琦电子科技有限公司对此不做任何明示或暗示的保证。特此做出免责声明。

Make people: MIKE LIU

填写人: 刘志

Phone: +86-574-87200933

电话: +86-574-87200933

Professional post: R&D Engineer

岗位: 研发工程师

Make unit: R&D Department

部门: 研发部

