

Page 1/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.04.2023

Version number 109.02 (replaces version 109.01)

Revision: 09.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name Berliner Wohnwagen-Elixier

**Article number:** 1000925834000 **UFI:** 98FC-R1M9-M008-3WD5

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available. **Application of the substance / the mixture** 

Cleaning agent / Cleaner

Restrictions on use apply to this product according to Regulation (EU) no. 1907/2006 Annex XVII (see

section 15)

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

STOCKMEIER Chemie GmbH & Co.KG, Am Stadtholz 37, DE - 33609 Bielefeld

Tel.: +49 521 / 30 37-0, ehs-bielefeld@stockmeier.de

STOCKMEIER Fluids GmbH & Co. KG, Sanssouci 12, DE – 58802 Balve

Tel.: +49 2375 917 310, fluids@stockmeier.com

BASSERMANN Minerals GmbH & Co. KG, Rudolf-Diesel-Straße 42, DE – 68169 Mannheim

Tel.: +49 621 15 01 0, verkauf@bassermann.de

------

STOCKMEIER CHEMIA Sp. z o. o. i S.S.K., ul. Obornicka 277, PL - 60-691 Poznań

Tel.: +48 61 666 10 66, zamowienia@stockmeier.pl

STOCKMEIER QUIMICA, S.L.U., Avda. del Baix Llobregat, 3- 5, ES – 08970 Sant Joan Despí (Barcelona)

Tel.: +34 93 506 91 83, tecnico-calidad@stockmeier.es

STOCKMEIER NETHERLANDS B.V., Ridderpoort 5, NL - 2984 BG Ridderkerk

Tel.: +31 180 41 5988, info@stockmeier.nl

STOCKMEIER Chemie Austria, Ricoweg 32b, AT - 2351 Wiener Neudorf Tel.: +43 2236 623-40, office@stockmeier.at

Tel.: 143 2230 023-40, Onice@stockmeter.at

KEMTAN AG, Seewenweg 6, CH - 4153 Reinach

Tel.: +41 61 711 20 20, info@kemtan.ch

STOCKMEIER CHEMICALS BELUX SA/NV, Rue de la Station 17, BE – 1300 Limal

Tel.: +32 10 421-320, info@stockmeierchemicalsbelux.com

\_\_\_\_\_\_

HDS - Chemie Handels GES.M.B.H., Bauernmarkt 24, AT - 1010 Wien

Tel.: +43 15 32 0 999, office@hds-chemie.at

#### www.stockmeier.com

## Informing department:

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: ehs-bielefeld@stockmeier.de

## 1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet. Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

Trade name Berliner Wohnwagen-Elixier

(Contd. of page 1)

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

## **Hazard pictograms**



GHS05

## Signal word Danger

## Hazard-determining components of labelling:

alkyl poly ethylene glycol ether

disodium metasilicate

### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

## **Precautionary statements**

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3 Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

**Determination of endocrine-disrupting properties** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of the substances listed below with harmless additions

Dangerous components:		
CAS: 69011-36-5	Isotridecanol, ethoxylated	2,5-10%
Polymer	Eye Dam. 1, H318; Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: $C \ge 10,01$ % Eye Irrit. 2; H319: 1,01 % $\le C < 10,01$ %	
CAS: 112-34-5	diethylene glycol monobutyl ether	≥2,5-<10%
EINECS: 203-961-6	Eye Irrit. 2, H319	
Reg.III 01-2119475104-44	súbstance with a Community workplace exposure limit	antd on page 3)

(Contd. on page 3)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

### Trade name Berliner Wohnwagen-Elixier

	(0	Contd. of page 2)
CAS: 6834-92-0	disodium metasilicate	≥1-≤2,5%
EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	Met. Corr.1, H290; Skin Corr. 1B, H314; STOT SE 3, H335	-
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2, H319	≤2,5%

#### **SVHC**

This preparation does not contain any substances of very high concern (SVHC) in a concentration of  $\geq$  0.1 % according to Regulation (EC) 1907/2006, Article 57.

Additional information For the wording of the listed hazard phrases refer to section 16.

## **Composition/Ingredients**

Constituents according to EC-Regulation 648/2004:

- 5 15 % non-ionic surfactants,
- < 5 % anionic surfactants.
- < 5 % amphoteric surfactants.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice: Instantly remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of symptoms.

#### After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

#### After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

### After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

## 5.3 Advice for firefighters

Protective equipment: Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

#### **6.2 Environmental precautions:**

Do not allow to enter drainage system, surface or ground water.

Dilute with much water.

If large amounts are released, the authorities must be informed.

(Contd. on page 4)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

### Trade name Berliner Wohnwagen-Elixier

(Contd. of page 3)

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

## 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace. Avoid repeated or long-term skin contact.

Information about protection against explosions and fires: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage Store in cool, dry conditions in well sealed containers.

Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water harzardous substances

Information about storage in one common storage facility: Not required.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Components wit	Components with critical values that require monitoring at the workplace:		
112-34-5 diethyle	112-34-5 diethylene glycol monobutyl ether		
AGW (Germany)	AGW (Germany) Long-term value: 67 mg/m³, 10 ppm 1,5(I);EU, DFG, Y, 11		
EG (Germany)	Short-term value: 101,2 mg/m³, 15 ppm Long-term value: 67,5 mg/m³, 10 ppm		
MAK (Germany)	MAK (Germany) Long-term value: 67 mg/m³, 10 ppm Dampf und Aerosol		
IOELV (EU)	IOELV (EU) Short-term value: 101,2 mg/m³, 15 ppm Long-term value: 67,5 mg/m³, 10 ppm		
DMEL -	DAIF! -		

	Long-term value: 67,5 mg/m³, 10 ppm				
DNELs	DNELs				
112-34-5	diethyle	ene glycol m	nonobutyl ether		
Oral	DNEL	(population)	6,25 mg/kg bw/day (Long-term, systemic effects)		
	DNEL	(population)	5 mg/kg (Long-term, systemic effects)		
Dermal	DNEL	(worker)	83 mg/kg bw/day (Long-term, systemic effects)		
	DNEL	(population)	50 mg/kg bw/day (Long-term, systemic effects)		
Inhalative	DNEL	(worker)	101,2 mg/m³ (Acute, local effects)		
			67,5 mg/m³ (Long-term - local effects)		
	DNEL	(population)	60,7 mg/m³ (Acute, local effects)		
			40,5 mg/m³ (Long-term - systemic + local effects)		
6834-92-0	6834-92-0 disodium metasilicate				
Oral	DNEL	(population)	0,74 mg/kg bw/day (Long-term, systemic effects)		
Dermal	DNEL	(worker)	1,49 mg/kg bw/day (Long-term, systemic effects)		
			(Contd. on page 5		

Contd. on page 5

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

## Trade name Berliner Wohnwagen-Elixier

				(Contd. of page
	٠	,	0,74 mg/kg bw/day (Long-term, systemic effects)	
Inhalative	DNEL (wor	ker)	6,22 mg/m³ (Long-term, systemic effects)	
	DNEL (pop	ulation)	1,55 mg/m³ (Long-term, systemic effects)	
15763-76	•		esulphonate	
Oral	DNEL (pop	ulation)	3,8 mg/kg bw/day (Long-term, systemic effects)	
Dermal	DNEL (wor	ker)	7,6 mg/kg bw/day (Long-term, systemic effects)	
	DNEL (pop	ulation)	3,8 mg/kg bw/day (Long-term, systemic effects)	
Inhalative	DNEL (wor	ker)	53,6 mg/m³ (Long-term, systemic effects)	
	DNEL (pop	ulation)	13,2 mg/m³ (Long-term, systemic effects)	
PNECs	•			
112-34-5	diethylene g	glycol m	nonobutyl ether	
Oral PNE			kg (Nahrung) (Secondary poisoning)	
		1,1 mg	(I (freshwater)	
		0,11 m	g/l (marine water)	
PNE	iC .	11 mg/	(intermittent releases)	
PNE	C sediment	4,4 mg	/kg dw (freshwater)	
		0,44 m	g/kg dw (marine water)	
PNE	C soil	0,32 m	g/kg dw (soil)	
6834-92-0	834-92-0 disodium metasil PNEC water 7,5 mg		cate	
PNE			(I (freshwater)	
		1 mg/l	(marine water)	
		7,5 mg	(I (intermittent releases)	
PNE	C STP	1.000 r	ng/l (sewage plant)	
15763-76	-5 sodium p	-cumen	esulphonate	
PNE	C water	0,23 m	g/l (freshwater)	
		2,3 mg	(I (intermittent releases)	
1			•	

Additional information: The lists that were valid during the compilation were used as basis.

### 8.2 Exposure controls

PNEC STP

**Appropriate engineering controls** No further data; see section 7.

100 mg/l (380)

Individual protection measures, such as personal protective equipment

## General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

## **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Hand protection Protective gloves (EN 374).

## **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 6)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

## Trade name Berliner Wohnwagen-Elixier

(Contd. of page 5)

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed safety glasses. **Body protection:** Standard protective working clothes

## **SECTION 9: Physical and chemical properties**

0.4 lasfa anno attana ann		-1
9 1 Intormation on	hasic physical and	chemical properties

**General Information** 

Colour:YellowSmell:CharacteristicOdour threshold:Not determinedMelting point/freezing point:Not determined

Boiling point or initial boiling point and boiling

range 100 °C Flash point: 104 °C pH at 20 °C >13,3

pH-value: Viscosity:

**Kinematic viscosity dynamic:**Not determined.
Not determined.

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined

Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

Density and/or relative density

Density at 20 °C 1,04 g/cm<sup>3</sup>

9.2 Other information

Appearance:

Form: Fluid Important information on protection of health

and environment, and on safety.

**Self-inflammability:** Product is not selfigniting.

**Explosive properties:** Product is not potentially explosive

**Evaporation rate** Not determined

Information with regard to physical hazard

classes

**Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void

(Contd. on page 7)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

## Trade name Berliner Wohnwagen-Elixier

(Contd. of page 6)

Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flan	ımable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals		
May be corrosive to metals.		
Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

## Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC5	LD/LC50 values that are relevant for classification:		
69011-3	69011-36-5 Isotridecanol, ethoxylated		
Oral	LD50	>300-2.000 mg/kg (rat)	
Dermal	LD50	>2.000 mg/kg (rat)	
112-34-	5 dieth	ylene glycol monobutyl ether	
Oral	LD50	2.410-5.530 mg/kg (mouse)	
		5.660 mg/kg (rat)	
Dermal	LD50	>2.000 mg/kg (rabbit) (OECD 402)	
		2.764 mg/kg (rat)	
6834-92	-0 disc	odium metasilicate	
Oral	LD50	1.152-1.349 mg/kg (rat)	
Dermal	LD50	>5.000 mg/kg (rat)	
15763-7	15763-76-5 sodium p-cumenesulphonate		
Oral	LD50	>2.000 mg/kg (rat)	
Dermal	LD50	>2.000 mg/kg (rabbit)	

## Skin corrosion/irritation

Causes severe skin burns and eye damage.

## Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

## Trade name Berliner Wohnwagen-Elixier

(Contd. of page 7)

Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

### **Endocrine disrupting properties**

None of the ingredients is listed.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Aquatic toxicity:	Aquatic toxicity:		
69011-36-5 Isotride	canol, ethoxylated		
LC 50 / 96 h	1-10 mg/l (Cyprinus carpio)		
EC 50 / 48 h	1-10 mg/l (Daphnia magna)		
EC 50 / 72 h	1-10 mg/l (Scenedesmus subspicatus)		
112-34-5 diethylene	glycol monobutyl ether		
LC 50 / 96 h (static)	1.300 mg/l (Lepomis macrochirus) (OECD 203)		
EC 50 / 48 h (static)	>100 mg/l (Daphnia magna) (OECD 202)		
EC 50 / 48 h	4.950 mg/l (Daphnia magna)		
EC 50 / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)		
EC 50 / 24 h	2.850 mg/l (Daphnia magna)		
EC 50 / 72 h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)		
NOEC / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)		
NOEC / 48 h	>100 mg/l (Daphnia magna) (OECD 202)		
6834-92-0 disodium	6834-92-0 disodium metasilicate		
LC 50 / 96 h	210 mg/l (Brachydanio rerio) (OECD 203)		
LC 50 / 72 h	207 mg/l /biomass (Scenedesmus subspicatus)		
EC 50 / 48 h	1.700 mg/l (Daphnia magna)		
EC 50 / 72 h	>345 mg/l (Desmodesmus subspicatus) (DIN 38412 T9)		
15763-76-5 sodium	p-cumenesulphonate		
LC 50 / 96 h	>100 mg/l (fish)		
EC 50 / 48 h	>100 mg/l (Daphnia magna)		
EC 50 / 72 h	>100 mg/l (Desmodesmus subspicatus)		
EC 50 / 2 h	>1.000 mg/l (activated sludge (method OECD 209))		

## 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

	69011-36-5 Isotridecanol, ethoxylated		
	Biodegradability	>70 % (OECD 301A)	1
		>70 % (OECD 301 B)	
	112-34-5 diethy	lene glycol monobutyl ether	7
	Biodegradability	~85 % (28 d, OECD 301 C)	1
_		(Contd. on page 9	7

Contd. on page 9

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

### Trade name Berliner Wohnwagen-Elixier

(Contd. of page 8)

100 % (OECD 302 B)

## 15763-76-5 sodium p-cumenesulphonate

Biodegradability >60 % (OECD 301 B)

12.3 Bioaccumulative potential No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

## Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):

### 112-34-5 diethylene glycol monobutyl ether

EC 10 / 0,5 h >1.995 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp. Inhibition Test))

## 6834-92-0 disodium metasilicate

EC 50 >100 mg/l (OECD 209 / ISO 8192) (> 3 h)

### Additional ecological information:

#### **General notes:**

The product contains no organic halogen compounds (AOX).

The product contains no organic complexing agents, which are not biodegradable (DOC elimination > 80 % within 28 d)

Water hazard class 1 (Self-assessment): slightly hazardous for water.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

#### Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. If possible, send to be recycled, otherwise burn or deposit in a certified facility.

#### Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

**Uncleaned packagings:** Disposal must be made according to official regulations.

#### Recommendation:

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

## **SECTION 14: Transport information**

14.1 UN number or ID number ADR/RID/ADN. IMDG. IATA

UN3266

(Contd. on page 10)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

Trade name Berliner Wohnwagen-Elixier

	(Contd. of page 9
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	3266 CORROSIVE LIQUID, BASIC, INORGANIC N.O.S. (DISODIUM TRIOXOSILICATE) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S
14.3 Transport hazard class(es)	(DISODIUM TRIOXOSILICATE)
ADR/RID/ADN	
Class Label	8 (C5) Corrosive substances.
IMDG, IATA	
Class Label	8 Corrosive substances.
14.4 Packing group ADR/RID/ADN, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	Not applicable. No
14.6 Special precautions for user Kemler Number:	Warning: Corrosive substances. 80
14.7 Maritime transport in bulk according instruments	to IMO  Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Código E4 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3266 CORROSIVE LIQUID, BASICINORGANIC, N.O.S. (DISODIUNTRIOXOSILICATE), 8, III

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 11)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

## Trade name Berliner Wohnwagen-Elixier

(Contd. of page 10)

#### **Hazard pictograms**



## Signal word Danger

## Hazard-determining components of labelling:

alkyl poly ethylene glycol ether

disodium metasilicate

#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### **Precautionary statements**

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55

## DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

### **REGULATION (EU) 2019/1148**

## Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

## Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### **National regulations**

## Information about limitation of use:

Employment restrictions concerning young persons must be observed.

#### Other regulations, limitations and prohibitive regulations

## Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Application: Directions for use: please refer to the Technical Information Sheet

(Contd. on page 12)

Printing date 21.04.2023 Version number 109.02 (replaces version 109.01) Revision: 09.03.2023

### Trade name Berliner Wohnwagen-Elixier

(Contd. of page 11)

#### **UFI** market placements:

Germany, Bulgaria, Denmark, DKE, ESE, European Union, Finland, SFS, France, Greece, Ireland, ISE, Croatia, Latvia, FL, Lithuania, LTE, Malta, Netherland, Norway, Germany, Poland, Portugal, Romania, Sweden, Slovakia, Slovenia, Spain, Czechia, Cyprus

### Relevant phrases

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

## Department issuing data specification sheet: see item 1: Informing department

Version number of previous version: 109.01

#### Abbreviations and acronyms:

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

EUE —