

Material Safety Data Sheet

1. Chemical product and company identification	
Company name	Teleco s.p.a.
Company address	Via E. Majorana 49, 48022 Lugo (Ra), Italy
Manufacturer	Teleco s.p.a.
Manufacturer Address	Via E. Majorana 49, 48022 Lugo (Ra), Italy
Name of samples	Portable Power Station
Type / Model	PPS 1000
Rated Energy	1110Wh
Inspection according to	EEC Directive 93/112/EC
Emergency telephone call	+39 0545 25037

2. Composition Information		
Material or ingredient	CAS No.	Wt %
Lithium Cobalt Oxide	12190-79-3	15-40
Graphite	7782-42-5	10-30
Carbon black	1333-86-4	5-10
Phosphate (1-), hexafluoro-, lithium	21324-40-3	10-30
Copper	7440-50-8	7-13
Aluminium Foil	7429-90-5	5-10
Nickel	7440-02-0	1-5

3. Hazard identification	
Explosive risk	This article does not belong to the explosion dangerous goods.
Flammable risk	This article does not belong to the flammable material.
Oxidation risk	This article does not belong to the oxidation of dangerous goods.
Toxic risk	This article does not belong to the toxic dangerous goods.
Radioactive risk	This article does not belong to the radiation of dangerous goods.
Mordant risk	This article does not belong to the corrosion of dangerous goods.
Other risk	This article is Lithium iron phosphate battery pack, Watt hour rate 1100Wh, which belong to the Lithium-Ion Batteries.



4. First aid measures

The lithium-ion batteries are not hazardous with eye and skin contact under normal circumstance. In case of internal hazardous substance leaking an hazardous substance, following measures should be taken if body parts contact with this substance:

After Skin Contact: In case of contact, immediately wash skin with soap and copious amounts of water.

After Eye Contact: In case of contact, flush eyes with clean water for 15 minutes while lifting eyelids. Get prompt medical attention.

After Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

After Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

5. Fire-fighting measures

Characteristics of Hazard: Toxic fumes; gases or vapours may evolve on burning.

Hazardous Combustion Products: CO, CO₂, HF, phosphorus fluoride.

Fire-extinguishing Methods and Extinguishing Media: Copious amounts of cold water are an effective extinguishing medium for lithium-ion batteries.

Don't use warm or hot water. Don't use Halon type extinguishing material. Dry powder, sand and earth might be used.

Attention in Fire-extinguishing: The Firemen should put on antigas masks and full fire-fighting suits.

6. Accidental release measures

Steps to be taken in case Material is Released or Spilled

If the battery material is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. Wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can. The preferred response is to leave the area and allow the battery to cool and vapours to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapours. Remove spilled liquid with absorbent and incinerate.

Waste Disposal Method

It is recommended to discharge the battery to the end, to use the metal lithium inside the battery, and to bury the discharged battery in soil.



7. Handling and storage

The battery should not be opened, destroyed or incinerated, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

Precautions to be taken in handling and storing

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

Other Precautions

The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

8. Exposure controls/personal protection

Respiratory Protection

In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use.

Ventilation

Not necessary under conditions of normal use.

Protective Gloves

Not necessary under conditions of normal use.

Other Protective Clothing or Equipment

Not necessary under conditions of normal use.

Personal Protection is recommended for venting battery

Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields.

9. Physical and chemical properties

Appearance: Prismatic

Colour: Multi-colours

Odours: If leaking, smells of medical ether.

pH: Not applicable as supplied.

Flash Point: Not applicable unless individual components exposed.

Flammability: Not applicable unless individual components exposed.

Relative density: Not applicable unless individual components exposed.

Solubility (water): Not applicable unless individual components exposed.

Solubility (other): Not applicable unless individual components exposed.



10. Stability and reactivity

Stability: Stable under normal temperatures and pressures.

Incompatibility: oxidizing agents

Conditions to Avoid: Heat and open flame, short circuit, and water

Hazardous polymerization: Will not occur

Decomposition Products: CO, CO₂, HF, phosphorus fluoride

11. Toxicological information

Signs & symptoms: None, unless battery ruptures.

In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin.

Inhalation: Lung irritant.

Skin contact: Skin irritant.

Eye contact: Eye irritant

Ingestion: Poisoning if swallowed. Medical conditions generally aggravated by exposure:
In the event of exposure to internal contents, moderate to severe irritation, burning and dryness of the skin may occur, Target Organs nerves, liver and kidneys.

12. Ecological information

Mammalian effects: None known at present.

Eco-toxicity: None known at present.

Bioaccumulation potential: Slowly Bio-degradable.

Environmental fate: None known environmental hazards at present.

13. Disposal consideration

Waste Treatment: Recycle or dispose of in accordance with government, state & local regulations.

Attention for Waste Treatment: Deserted batteries couldn't be treated as ordinary trash. Couldn't be thrown into fire or placed in high temperature. Couldn't be dissected, pierced, crushed or treated similarly. The best way is recycling



14. Transport information

UN No. UN 3480

Proper Shipping Name

Lithium-ion batteries (Including lithium-ion polymer batteries) or;
Lithium-ion batteries contained in equipment (Including lithium-ion polymer batteries) or;
Lithium-ion batteries packed with equipment (Including lithium-ion polymer batteries)

Labels for Package

Class 9

ICAO / IATA:	Can be shipped by air in accordance with International Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA), DGR Packing Instructions (PI) 965 Section IA appropriate of IATA DGR 62nd (2021 Edition) for transportation.
IMDG CODE:	«International Maritime Dangerous Goods» Code (IMDG Code 39-18).
ADR:	«European Agreement concerning the International Carriage of Dangerous Goods by Road» (ADR 2021).
RID:	«Regulations concerning the International Carriage of Dangerous Goods by Rail» (ADR 2021).

The dangerous goods regulations require that each battery design be subject to tests contained in Section 38.3 of the UN Manual of Tests and Criteria prior to being offered for transport.

15. Regulation information

Regulatory information

- «Dangerous Goods Regulations»
- «Recommendation on the Transport of Dangerous Goods Model Regulations»
- «International Maritime Dangerous Goods»
- «Technical Instructions for the Safe Transport of Dangerous Goods»
- «Classification and code of dangerous Goods»
- «Occupational Safety and Health Act» (OSHA)
- «Toxic Substance Control Act» (TSCA)
- «Consumer Product Safety Act» (CPSA)
- «Federal Environmental Pollution Control Act» (FEPCA)
- «The Oil Pollution Act» (OPA)
- «Superfund Amendments and Reauthorization Act Title III (302/311/312/313) » (SARA)
- «Resource Conservation and Recovery Act» (RCRA)
- «Safety Drinking Water Act» (CWA)
- «California Proposition 65»
- «Code of Federal Regulations» (CFR)

In according with all Federal, State and local laws.



TELECO
T V A N T E N N A S

TELECO Spa

Via E.Majorana, 49
48022 LUGO (RA) Italy
Tel. 0545 25037 Fax 0545 32064

Cap. Soc. € 120.000,00 int. vers.
Reg. Imp. Ravenna, C.F. e P.IVA 01117060390
R.E.A. di Ravenna N.121783
N. meccanografico RA 004167
VAT Registr. N. IT01117060390

16. Other information

This report is valid only for products that meet the following criteria :

Company : Teleco S.p.a.

Manufacturer: Teleco S.p.a.

Sample type & Mode: Portable Power Station PPS1000.

The commissioner provides the composition information of batteries, and promises its integrity and accuracy. Users should read this file carefully, and use the batteries in correct method.

